

The most reliable way to keep your workers **Sale** and your operations

> Easy gas identification with color coded labels and LCD indication:

> > H₂S

CO

0,

SO,





Now, with the **BW Clip**, your day-to-day companion is **more reliable** than ever.

The BW Clip is a single-gas maintenance-free detector, available in the following versions:

- Two-year: O₂ and SO₂
- Two-year or three-year: H₂S and CO

Engineered to Honeywell's highest standards of quality and reliability, the BW Clip delivers:

Up to three years maintenance-free. Just turn on the detector and it runs continuously — no need for sensor and battery replacement or battery charging. That means great reliability and no downtime.

BW Clip Real Time provides realtime readings of atmospheric gas concentration levels, giving users instant visibility of the gas readings and ppm levels, even when not in alarm conditions.

Compatibility with current docking stations. For automated bump testing and fleet management, the BW Clip Series is compatible with the MicroDock II docking station and Fleet Manager II software.



The most user-friendly experience. With one-button operation, the BW Clip Series is compact, lightweight and easy to handle, while tough enough for harsh environments and extreme temperatures. And if there's an alarm, you'll know it — even in noisy conditions — thanks to the wide-angle flash, along with the audible and vibrating alerts.

Automated self-test for improved safety. With the BW Clip Series, there's no need to perform a manual self-test to check the detector's battery, sensor and electronics. Instead, a daily self-test happens automatically. If it finds an issue in critical functionality, it will shut down the detector to protect you from unsafe use.

Easy gas identification with color coded labels and LCD indication:

H_oS

CO

0,

SO.

Get even more value from the BW Clip—with the IntelliDoX instrument management system

IntelliDoX combines smart docking modules with our Fleet Manager II software to provide automated testing and record-keeping for the BW Clip.

Simply place the BW Clip in the docking module, and it automatically tests the gas detector and sensors. Then use either USB or Ethernet to transfer bump tests, gas exposure events and more to your computer, where you can use the software to analyze the data, track compliance and configure the detectors.



Change alarm set points and more — with a new level of customization for maintenance-free detectors



IntelliDoX, BW Clip is the most flexible, configurable maintenance-free

detector available.

The system delivers:

The quickest bump test in the industry. Bump five BW Clip detectors

in less than a minute — or 50 in fewer than three minutes — with no wasted calibration gas. That means no more bottlenecks from workers lining up to bump their detectors.

Efficient networking and data transfer for easy record-keeping.

Are workers bump testing at the right frequency? If a BW Clip had a gas exposure, would you know about it? Can you produce the compliance reports you need during a regulatory audit? Use

IntelliDoX to easily transfer the

35 most recent gas events and bump tests for each BW Clip to your computer.

Flexible configuration to adapt to changing requirements. Just because the BW Clip is a maintenance-free device doesn't mean you can't customize it to meet changing safety policies or regulations. Want to adjust the high and low alarm set points? Email a bump-test reminder to workers. Set detectors to show the gas reading during alarm? Do all this and more to improve safety and productivity.

Quick and easy setup — great
for turnarounds. IntelliDoX is easy to
install, taking under two minutes to set
up a five-module system and bump your
first detector — with no tools required. To
connect a module to the computers on your
network, all you need is an Ethernet cable
and an IP address. You can also set up without a
network: Just use a USB drive to load the settings
for your detectors.

Flexible instrument testing for maximum productivity

Unique design for unmatched speed and flexibility

The IntelliDoX system is expandable to five docking modules helping you drive productivity, reliability and efficiency.

- Provides a new level of customization for bump testing, configuration and record-keeping in a maintenance-free detector
- Configure alarm set points and change detector settings throughout the operation life of the BW Clip
- Quick and easy setup great for turnarounds
- Each module has its own easy-to-read LCD screen and keypad for independent operation

Thanks to this design, you can perform different activities for multiple BW Clip detectors — all at the same time. Want to bump test detectors? Reconfigure settings on another group of detectors? Put others into hibernation? You can do all of these tasks concurrently, so you get more done in less time.

Perform different activities for multiple BW Clip detectors all at the same time

Hibernation:

get the most life for the price

When you use the two-year BW Clip for H₂S or CO, you can hibernate the detector when you're not using it for a week or more — and extend its life by that period of time, for up to a year.

Holding a supply of BW Clip detectors for a plant turnaround? Facing a few months between projects? Have workers going on leave?

Hibernate each BW Clip to preserve its life, and you can spread your detector's 24 months of operation over up to three years instead of the standard two.

To hibernate the BW Clip, just put it into hibernation mode and slip it into the hibernation case. No computer or complex procedure required.









Locally available from

USA 1.888.749.8878
Canada 1.800.663.4164
Europe +800 333 222 44
Middle East +971.4.450.5852
S.E. Asia +65.6580.3468
China +86.21.5855.7305
Australia +61.3.9464.2770
Latin America +55.11.3309.1030
Other Countries +1.403.248.9226



20151209-03-EN